

简单的操作 以及 专业的切割质量

更大的生产量，更大的安全性



- 简单的设定以及容易清洁
- 轻易的更换切刀
- 有安全感应的保护盖
- 切卷的最大直径是60mm



標準的切割元件可以把180mm的壽司卷切成6件或是8件。



4个小型海苔卷: 每小时可以切割2,200卷



2个中型海苔卷: 每小时可以切割1,100卷



1个大型饭卷: 每小时可以切割550卷

Automatic Roll Sushi Cutter SVC-ATC

特点

- 安全的操作设计以及方便于清洁。
- 切刀的设计可以根据客户的需要特别订制。标准的切刀可以把180mm的寿司卷切成6件或是8件。
- 较宽的切割平台可以放置3个小型寿司卷，并可以进行一次性切割。
- 小型和轻巧的设计容许用户随心所欲的自由携带至不用地方。

规格

型号

SVC-ATC-CE (Applied to CE Regulation)

SVC-ATC-ET (Applied to ETL / cETL)

电源

AC100-240V, 50 / 60 Hz, Single phase

消耗电力

140W

电源接驳线

2m (6.56feet)

插头可以更换成CE, BF, UL type

生产量

小型寿司卷 (25mm):

大约每小时2,200卷 (一次性4卷)

中型寿司卷 (35mm):

大约每小时1,100卷 (一次性2卷)

大型寿司卷 (45 - 60mm):

大约每小时550卷 (一次性1卷)

机械尺寸

阔度: 380mm

深度: 320mm


高度: 476mm

机械重量

大约17kg (包括切割台)

外形图

(SVR-ATC-CE)



*机器的外形及设计有可能不予通告加以改良。

香港及澳門代理商
Agent of HK & Macau

ANEL

APEX NOBLE EQUIPMENT LTD.
雅麗盈設備有限公司

香港荃灣柴灣角街95號華俊工業中心18樓05號室
Flat 5, 18/F, Wah Chun Industrial Centre,

95 Chai Wan Kok Street, Tsuen Wan, New Territories, Hong Kong

Mobile: 852-94505051, 853-62839652, 86-14715675669

Tel: 852-36901333, 36901338, Fax: 852-36901339

Website: www.anel.com.hk

中国代理商
Agent of China

HOSHING

地址: 上海南京西路1717號會德豐國際廣場25樓1單元

電話: (021) 3251-9706 傳真: (021) 6282-0178

聯絡人: 吳先生 (86) 138-0889-0514

楊先生 (86) 150-1763-3656

SUZUMO

Suzumo Machinery Co., Ltd.

Overseas Business Division

2-23-2, Toyotamakita, Nerima-ku,

Tokyo 176-0012, Japan

Tel. +81 3-3993-1407 Fax. +81 3-3993-1756

e-mail overseas@suzumo.co.jp

URL http://www.suzumokikou.com

< Contact in North America >

Suzumo International Corporation

1815 W. 205th Street, Suite 101

Torrance, CA 90501, U.S.A.

Tel. +1 310-328-0400

Fax. +1 310-328-2700

e-mail sic@suzumokikou.com

Printed in Japan

Automatic Roll Sushi Cutter SVC-ATC

Features

- Designed for safe operation and easy cleaning.
- Cutting unit can be designed as custom order basis. Standard cutting unit is either 180mm-6 pieces or 180mm-8 pieces.
- Wider cutting table can be set 3pieces of small rolls (*Hosomaki*) and cut at one time.
- Compact and lightweight design enables you to carry the machine wherever you wish.

Specifications

Model

SVC-ATC-CE (Applied to CE Regulation)

SVC-ATC-ET (Applied to ETL/cETL)

Input

AC100-240V, 50/60 Hz, Single phase

Power consumption

140W

Power connection cable

2m (6.56feet)

Plug can be selectable among CE, BF, and UL type

Capacity

Small roll (25mm □):

Approx 2,200 rolls / hr (4 rolls at one time)

Medium roll (35mm□):

Approx 1,100 rolls / hr (2 rolls at one time)

Large roll (45-60mm□):

Approx 550 rolls / hr (1 roll at one time)

Machine dimensions (in mm)

Width: 380mm

Depth: 320mm


Height: 476mm

Weight

Approx. 17Kg (include cutting table & flame)

Dimensions

(SVR-ATC-CE)



*Designs and specifications are subject to change without notice.

香港及澳門代理商
Agent of HK & Macau

ANEL

APEX NOBLE EQUIPMENT LTD.

雅麗盈設備有限公司

香港荃灣柴灣角街95號華俊工業中心18樓05號室
Flat 5, 18/F, Wah Chun Industrial Centre,

95 Chai Wan Kok Street, Tsuen Wan, New Territories, Hong Kong

Mobile: 852-94505051, 853-62839652, 86-14715675669

Tel: 852-36901333, 36901338. Fax: 852-36901339

Website: www.anel.com.hk

中國代理商
Agent of China

HOSHO 浩誠
HOSHING

地址: 上海南京西路1717號會德豐國際廣場25樓1單元

電話: (021) 3251-9706 傳真: (021) 6282-0178

聯絡人: 吳先生 (86) 138-0889-0514

楊先生 (86) 150-1763-3656


SUZUMO

Suzumo Machinery Co., Ltd.

Overseas Business Division

2-23-2, Toyotamakita, Nerima-ku,

Tokyo 176-0012, Japan

Tel. +81 3-3993-1407 Fax. +81 3-3993-1756

e-mail overseas@suzumo.co.jp

URL http://www.suzumokikou.com

< Contact in North America >

Suzumo International Corporation

1815 W. 205th Street, Suite 101

Torrance, CA 90501, U.S.A.

Tel. +1 310-328-0400

Fax. +1 310-328-2700

e-mail sic@suzumokikou.com

Printed in Japan